### STATICIDE ANTI-STATIC WIPES

**Product Code: ESWC135** 

#### **PRODUCT DESCRIPTION**

Long lasting wipes that protect sensitive equipment from costly static problems.

#### **PRODUCT USE**

Ideal for use on keyboards and CRT screens. For use on all materials that are not adversely affected by water or alcohol.

#### **FEATURES**

- \* Comes in a handy dispensing pack
- \* Meets or exceeds military electrostatic decay criteria
- \* Prevents dust attraction
- \* Safe and easy to use
- \* Biodegradable
- \* Long lasting
- \* One step cleaning and static control

#### **TOXICITY AND MATERIAL SAFETY**

This product is safe in use. In bulk format it is classed as both flammable and irritating.

#### **TYPICAL PROPERTIES**

Solubility in Water: Complete Odour: Alcohol

Applicator saturated with clear liquid

TECHNICAL DATA SHEET



Electrolube 2003 All information is given in good faith but without warranty. Properties are given as a guide only and should not be taken as a specification. Electrolube cannot be held responsible for the performance of its products within any application determined by

the customer, who must satisfy themselves as to the suitability of the product.

Copyright



## **STATICIDE ANTI-STATIC WIPES** – Page 2

#### **DIRECTIONS FOR USE**

Thread the first wipe through the cap. Always ensure the cap is tightly closed. Wipe surface for maximum cleaning and static control. If streaking occurs, allow wipe to partially dry and re-wipe surface.

#### **PACKAGING**

**ORDER CODE** 

135 Wipes

**ESWC135** 



This product is distributed on behalf of ACL Staticide, 1960 East Devon Avenue, EIK Grove Village, IL 60007 USA. An ISO9002 certified company.

Tel: 847 981 9212 Fax: 847 981 9278 Website: www.aclstaticide.com

TECHNICAL DATA SHEET



# Copyright Electrolube 2003

All information is given in good faith but without warranty. Properties are given as a guide only and should not be taken as a specification. Electrolube cannot be held responsible for the performance of its products within any application determined by the customer, who must satisfy themselves as to the suitability of the product.

