OUPONT >

MOLYKOTE[®] Food Machinery Oil Spray

Multipurpose mineral oil spray for food processing equipment

Features & benefits

- Easy to use
- Good penetration
- High corrosion protection
- High load capability
- Meets FDA Regulation 21 CFR 178.3570 and USDA H1 Classification for incidental food contact
- · Odorless and tasteless

Composition

- Mineral oil
- Corrosion inhibitor
- EP/AW additive
- Propellant

Applications

Lubrication of mechanical components in food & beverage processing equipment.

Description

MOLYKOTE[®] Food Machinery Oil Spray is a multipurpose mineral oil aerosol. It is suitable for applications in the food, pharmaceutical and similar industries.

How to use

Shake well before use. Clean contact surfaces before spraying.

Handling precautions

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED IN THIS DOCUMENT. BEFORE HANDLING, READ SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION.

Usable life and storage

When stored at or below 23°C (73°F) in the original unopened containers, this product has a usable life of 24 months from the date of production.

Typical properties

Specification writers: These values are not intended for use in preparing specifications. Please contact your local MOLYKOTE[®] sales representative prior to writing specifications on this product.

Standard ⁽¹⁾	Test	Unit	Result
	Color		Transparent
Viscosity			
DIN 51 562	Base oil viscosity at 40°C (104°F)	mm²/s	96
ASTM D562	Base oil viscosity at 100°C (212°F)	mm²/s	11
ASTM D2270	Viscosity index of base oil		102
Temperature			
	Service temperature		
	range	°C	-10 to +120
		°F	14 to 248
ASTM D97	Pour point	°C	< -10
		°F	< 14
Load carrying capacity, wear protection, speed			
DIN 51 350	Four-Ball Tester (VKA), Wear scar under 40 kg load, 1,200 rpm	mm	0.5
Corrosion protection			
ASTM D665	Corrosion protection		Pass

⁽¹⁾DIN: Deutsche Industrie Norm. ASTM: American Society for Testing and Materials.

Packaging

This product is available in 400 ml spray cans.

 $DuPont^{\mathsf{TM}}$, the DuPont Oval Logo, and all trademarks and service marks denoted with $^{\mathsf{TM}}$, SM or $^{\otimes}$ are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted.

© 2003-2021 DuPont.

The information set forth herein is furnished free of charge and is based on technical data that DuPont believes to be reliable and falls within the normal range of properties. It is intended for use by persons having technical skill, at their own discretion and risk. This data should not be used to establish specification limits nor used alone as the basis of design. Handling precaution information is given with the understanding that those using it will satisfy themselves that their particular conditions of use present no health or safety hazards. Since conditions of product use and disposal are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. As with any product, evaluation under end use conditions prior to specification is essential. Nothing herein is to be taken as a license to operate or a recommendation to infringe on patents.